

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|----------|------------------|---------|------------------|
| L1 | 166 | (acrylic adj acid) and hydrazine and aldehyde and concentration and (distil\$ or purif\$)and (impurities or furfural or acrolein) | US-PGPUB | OR | OFF | 2005/10/15 15:20 |

Day : Saturday
 Date: 10/15/2005

Time: 15:04:55

PALM INTRANET**Inventor Information for 09/745896**

| Inventor Name | City | State/Country |
|--------------------|--------------|---------------|
| ISHII, YOSHITAKE | HIMEJI-SHI | JAPAN |
| UENO, KOUJI | HIMEJI-SHI | JAPAN |
| SAKAMOTO, KAZUHIKO | HIMEJI-SHI | JAPAN |
| NAKAHARA, SEI | HIMEJI-SHI | JAPAN |
| UEOKA, MASATOSHI | HIMEJI-SHI | JAPAN |
| MITSUMOTO, TETSUJI | HIMEJI-SHI | JAPAN |
| NISHIMURA, TAKESHI | HIMEJI-SHI | JAPAN |
| TAKAMURA, MAMORU | TAKASAGO-SHI | JAPAN |
| NAKAMA, HISAO | IBO-GUN | JAPAN |

[Appn Info](#) [Contents](#) [Petition Info](#) [Atty/Agent Info](#) [Continuity Data](#) [Foreign Data](#)

| | | |
|--|--|---|
| Search Another: Application# <input type="text"/> | Search <input type="button" value="Search"/> | or Patent# <input type="text"/> Search <input type="button" value="Search"/> |
| PCT / <input type="text"/> / <input type="text"/> Search <input type="button" value="Search"/> | or PG PUBS # <input type="text"/> Search <input type="button" value="Search"/> | Attorney Docket # <input type="text"/> Search <input type="button" value="Search"/> |
| Bar Code # <input type="text"/> Search <input type="button" value="Search"/> | | |

To go back use Back button on your browser toolbar.

Back to [PALM | ASSIGNMENT | OASIS](#) | Home page

Day : Saturday
 Date: 10/15/2005

Time: 15:04:57

PALM INTRANET**Inventor Name Search Result**

Your Search was:

Last Name = ISHII

First Name = YOSHITAKE

| Application# | Patent# | Status | Date Filed | Title | Inventor Name |
|--------------------------|-------------------------|--------|------------|---|------------------|
| 08815050 | 5857687 | 150 | 03/11/1997 | BUMP STOP SEAT STRUCTURE | ISHII, YOSHITAKE |
| 09089020 | 6149197 | 150 | 06/02/1998 | STRUCTURE OF FRONT BODY OF AUTOMOBILES | ISHII, YOSHITAKE |
| 09745896 | Not Issued | 71 | 12/21/2000 | Method for purification of acrylic acid | ISHII, YOSHITAKE |
| 09780787 | 6713648 | 150 | 02/09/2001 | METHOD FOR ABSORBING ACRYLIC ACID AND METHOD FOR PURIFYING ACRYLIC ACID | ISHII, YOSHITAKE |
| 10174669 | 6960670 | 150 | 06/19/2002 | METHOD FOR PRODUCTION OF MALEIC ANHYDRIDE | ISHII, YOSHITAKE |
| 10211040 | 6888025 | 150 | 08/02/2002 | METHOD FOR ABSORBING ACRYLIC ACID AND METHOD FOR PURIFYING ACRYLIC ACID | ISHII, YOSHITAKE |

Inventor Search Completed: No Records to Display.

| | | |
|---------------------------------|------------------------------------|--|
| Search Another: Inventor | Last Name | First Name |
| | <input type="text" value="ISHII"/> | <input type="text" value="YOSHITAKE"/> |
| | | <input type="button" value="Search"/> |

To go back use Back button on your browser toolbar.

Back to [PALM | ASSIGNMENT | OASIS | Home page](#)

Day : Saturday
 Date: 10/15/2005

Time: 15:05:11

PALM INTRANET**Inventor Name Search Result**

Your Search was:

Last Name = UENO

First Name = KOUJI

| Application# | Patent# | Status | Date Filed | Title | Inventor Name |
|---------------------------------|------------|--------|------------|--|---------------|
| <u>06095073</u> | 4322640 | 150 | 11/16/1979 | THREE-STATE OUTPUT CIRCUIT | UENO, KOUJI |
| <u>06095782</u> | 4320507 | 150 | 11/19/1979 | FIELD PROGRAMMABLE DEVICE HAVING TEST PROVISIONS FOR FAULT DETECTION | UENO, KOUJI |
| <u>06137959</u> | 4376984 | 150 | 04/07/1980 | PROGRAMMABLE READ-ONLY MEMORY DEVICE | UENO, KOUJI |
| <u>06141931</u> | 4424582 | 150 | 04/21/1980 | SEMICONDUCTOR MEMORY DEVICE | UENO, KOUJI |
| <u>06141933</u> | 4319341 | 150 | 04/21/1980 | PROGRAMMING CIRCUIT FOR PERMANENTLY STORING DATA IN A PROGRAMMABLE READ ONLY MEMORY | UENO, KOUJI |
| <u>06141934</u> | 4347584 | 150 | 04/21/1980 | PROGRAMMABLE READ-ONLY MEMORY DEVICE | UENO, KOUJI |
| <u>06214210</u> | 4429388 | 150 | 12/08/1980 | FIELD PROGRAMMABLE DEVICE WITH INTERNAL DYNAMIC TEST CIRCUIT | UENO, KOUJI |
| <u>06329923</u> | Not Issued | 161 | 12/11/1981 | BIPOLAR LOGIC CIRCUIT | UENO, KOUJI |
| <u>06333653</u> | 4459694 | 150 | 12/23/1981 | FIELD PROGRAMMABLE DEVICE WITH CIRCUITRY FOR DETECTING POOR INSULATION BETWEEN ADJACENT WORD LINES | UENO, KOUJI |
| <u>06334924</u> | 4482914 | 150 | 12/28/1981 | CONTACT STRUCTURE OF SEMICONDUCTOR DEVICE | UENO, KOUJI |
| <u>06353356</u> | 4488261 | 150 | 03/01/1982 | FIELD PROGRAMMABLE DEVICE | UENO, KOUJI |
| <u>06406096</u> | 4536858 | 150 | 08/06/1982 | JUNCTION SHORT-CIRCUITING-TYPE PROGRAMMABLE READ- | UENO, KOUJI |

| | | | | ONLY MEMORY DEVICE | |
|-----------------|----------------|-----|------------|---|-------------|
| <u>06508544</u> | <u>4599688</u> | 150 | 06/28/1983 | SEMICONDUCTOR MEMORY DEVICE HAVING SWITCHING CIRCUIT FOR PREVENTING CHANNEL LEAKAGE IN CONSTANT CURRENT SOURCE | UENO, KOUJI |
| <u>06536000</u> | <u>4625129</u> | 150 | 09/26/1983 | ELECTRONIC CIRCUIT DEVICE HAVING A POWER SUPPLY LEVEL SWITCHING CIRCUIT | UENO, KOUJI |
| <u>06566323</u> | <u>4617653</u> | 150 | 12/28/1983 | SEMICONDUCTOR MEMORY DEVICE UTILIZING MULTI-STAGE DECODING | UENO, KOUJI |
| <u>06679536</u> | Not Issued | 161 | 12/07/1984 | VARIABLE THRESHOLD BIPOLEAR LOGIC CIRCUIT WITH STABILIZED OUTPUT | UENO, KOUJI |
| <u>07024220</u> | <u>4835590</u> | 150 | 03/10/1987 | SEMICONDUCTOR MEMORY DEVICE USING JUNCTION SHORT TYPE PROGRAMMABLE ELEMENT | UENO, KOUJI |
| <u>07026899</u> | <u>4800529</u> | 150 | 03/17/1987 | SEMICONDUCTIVE MEMORY DEVICE WITH CURRENT CONTROL AND COMPARISON MEANS TO REDUCE POWER CONSUMPTION AND INCREASE OPERATING SPEED | UENO, KOUJI |
| <u>07221480</u> | <u>4972372</u> | 150 | 07/19/1988 | PROGRAMMABLE DEVICE AND METHOD OF TESTING PROGRAMMABLE DEVICE | UENO, KOUJI |
| <u>07374062</u> | Not Issued | 161 | 06/30/1989 | INTEGRATED CIRCUIT HAVING LEVEL CONVERTING CIRCUIT | UENO, KOUJI |
| <u>07397838</u> | <u>4972375</u> | 150 | 08/24/1989 | PROGRAMMABLE SEMICONDUCTOR MEMORY CIRCUIT | UENO, KOUJI |
| <u>07669593</u> | Not Issued | 164 | 03/14/1991 | SEMICONDUCTOR INTEGRATED CIRCUIT DEVICE HAVING OUTPUT STABILIZING MEANS | UENO, KOUJI |
| <u>07751107</u> | <u>5268864</u> | 250 | 08/28/1991 | PROGRAMMABLE MEMORY DEVICE HAVING PROGRAMMING CURRENT ABSORBING TRANSISTORS | UENO, KOUJI |
| <u>08509641</u> | <u>5781627</u> | 150 | 07/31/1995 | SEMICONDUCTOR | UENO, KOUJI |

| INTEGRATED CIRCUIT DEVICE WITH COPY-PREVENTIVE FUNCTION | | | | | |
|---|------------|-----|------------|--|-------------|
| <u>09532225</u> | 6540881 | 150 | 03/22/2000 | METHOD FOR REFINING (METH)ACRYLIC ACID | UENO, KOUJI |
| <u>09729760</u> | 6300513 | 150 | 12/05/2000 | Method of stabilizing N-oxy compounds in vinyl compounds | UENO, KOUJI |
| <u>09745896</u> | Not Issued | 71 | 12/21/2000 | Method for purification of acrylic acid | UENO, KOUJI |
| <u>09753810</u> | 6482981 | 150 | 01/03/2001 | METHOD FOR PRODUCING ACRYLIC ACID | UENO, KOUJI |
| <u>10221542</u> | Not Issued | 41 | 10/08/2002 | Optical connector cleaning device | UENO, KOUJI |
| <u>10392969</u> | Not Issued | 30 | 03/21/2003 | Script processing apparatus, script processing method, and script processing program | UENO, KOUJI |
| <u>10813328</u> | Not Issued | 71 | 03/30/2004 | Electronic component cooling apparatus | UENO, KOUJI |
| <u>10858935</u> | Not Issued | 61 | 06/02/2004 | Method for production of acrylic acid | UENO, KOUJI |
| <u>10858974</u> | Not Issued | 80 | 06/02/2004 | Method for production of acrylic acid | UENO, KOUJI |
| <u>10859025</u> | Not Issued | 80 | 06/02/2004 | Method for production of acrylic acid | UENO, KOUJI |
| <u>10859036</u> | Not Issued | 30 | 06/02/2004 | Method for production of (meth)acrylic acid | UENO, KOUJI |
| <u>11017790</u> | Not Issued | 20 | 12/22/2004 | Contents providing apparatus and method | UENO, KOUJI |
| <u>11049353</u> | Not Issued | 30 | 02/02/2005 | Electronic component cooling apparatus | UENO, KOUJI |
| <u>11211802</u> | Not Issued | 20 | 08/25/2005 | Electronic component cooling apparatus | UENO, KOUJI |
| <u>11211856</u> | Not Issued | 20 | 08/25/2005 | Electronic component cooling apparatus | UENO, KOUJI |

Inventor Search Completed: No Records to Display.

| | | |
|---------------------------------|---------------------------------------|------------------------------------|
| Search Another: Inventor | Last Name | First Name |
| | <input type="text" value="UENO"/> | <input type="text" value="KOUJI"/> |
| | <input type="button" value="Search"/> | |

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | Home page

Day : Saturday
 Date: 10/15/2005

Time: 15:05:26

PALM INTRANET**Inventor Name Search Result**

Your Search was:

Last Name = SAKAMOTO

First Name = KAZUHIKO

| Application# | Patent# | Status | Date Filed | Title | Inventor Name |
|---------------------------------|------------|--------|------------|---|-----------------------|
| <u>10183840</u> | 6900346 | 150 | 06/27/2002 | METHOD FOR DECOMPOSITION OF MICHAEL TYPE ADDUCT | SAKAMOTO, KAZUHIKO |
| <u>10186569</u> | Not Issued | 95 | 07/01/2002 | APPARATUS AND PROCESS FOR PRODUCING (METH) ACRYLIC ACID | SAKAMOTO, KAZUHIKO |
| <u>10198433</u> | Not Issued | 61 | 07/17/2002 | Perforated tray column without downcomer | SAKAMOTO, KAZUHIKO |
| <u>10224677</u> | 6831195 | 150 | 08/21/2002 | METHOD FOR PRODUCTION OF ORGANIC ACID | SAKAMOTO, KAZUHIKO |
| <u>10226013</u> | 6649028 | 150 | 08/22/2002 | COLUMN TREATING PROCESS AND APPARATUS THEREFOR | SAKAMOTO, KAZUHIKO |
| <u>10246361</u> | 6899452 | 150 | 09/18/2002 | APPARATUS AND METHOD FOR PREPARATION AND SUPPLY OF POLYMERIZATION INHIBITOR | SAKAMOTO, KAZUHIKO |
| <u>10254863</u> | 6888026 | 150 | 09/26/2002 | METHOD FOR PRODUCING (METH)ACRYLIC ACID | SAKAMOTO, KAZUHIKO |
| <u>10356428</u> | 6848501 | 150 | 01/31/2003 | METHOD FOR PREVENTING PLATE TYPE HEAT EXCHANGER FROM BLOCKAGE | SAKAMOTO, KAZUHIKO |
| <u>10385359</u> | 6870066 | 150 | 03/10/2003 | METHOD FOR DECOMPOSITION OF MICHAEL TYPE ADDUCT | SAKAMOTO, KAZUHIKO |
| <u>10472039</u> | Not Issued | 71 | 09/16/2003 | Acrylic acid composition and its production process, and process for producing water-absorbent resin using this acrylic acid composition, and water-absorbent resin | SAKAMOTO, KAZUHIKO |

| | | | | | |
|-----------------|------------|-----|------------|---|--------------------|
| <u>10651031</u> | Not Issued | 93 | 08/29/2003 | METHOD FOR PREVENTING POLYMERIZATION IN AN ACRYLIC ACID MANUFACTURING PROCESS | SAKAMOTO, KAZUHIKO |
| <u>10746278</u> | 6911064 | 150 | 12/29/2003 | METHOD AND APPARATUS FOR THE PREPARATION OF CLEAN GASES | SAKAMOTO, KAZUHIKO |
| <u>10840252</u> | Not Issued | 30 | 05/07/2004 | Method for distilling (meth) acrylic acid and/or the ester thereof | SAKAMOTO, KAZUHIKO |
| <u>11079252</u> | Not Issued | 90 | 03/15/2005 | METHOD AND APPARATUS FOR THE PREPARATION OF CLEAN GASES | SAKAMOTO, KAZUHIKO |
| <u>11131330</u> | Not Issued | 20 | 05/18/2005 | Flexible flat cable and method of manufacturing the same | SAKAMOTO, KAZUHIKO |
| <u>11221213</u> | Not Issued | 20 | 09/07/2005 | Method for starting up reactor and reactor system | SAKAMOTO, KAZUHIKO |

Inventor Search Completed: No Records to Display.

| | | |
|---------------------------------|---------------------------------------|---------------------------------------|
| Search Another: Inventor | Last Name | First Name |
| | <input type="text" value="SAKAMOTO"/> | <input type="text" value="KAZUHIKO"/> |
| | <input type="button" value="Search"/> | |

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | Home page

Day : Saturday
 Date: 10/15/2005

Time: 15:05:26

PALM INTRANET**Inventor Name Search Result**

Your Search was:

Last Name = SAKAMOTO

First Name = KAZUHIKO

| Application# | Patent# | Status | Date Filed | Title | Inventor Name |
|---------------------------------|------------|--------|------------|---|-----------------------|
| <u>10183840</u> | 6900346 | 150 | 06/27/2002 | METHOD FOR DECOMPOSITION OF MICHAEL TYPE ADDUCT | SAKAMOTO, KAZUHIKO |
| <u>10186569</u> | Not Issued | 95 | 07/01/2002 | APPARATUS AND PROCESS FOR PRODUCING (METH) ACRYLIC ACID | SAKAMOTO, KAZUHIKO |
| <u>10198433</u> | Not Issued | 61 | 07/17/2002 | Perforated tray column without downcomer | SAKAMOTO, KAZUHIKO |
| <u>10224677</u> | 6831195 | 150 | 08/21/2002 | METHOD FOR PRODUCTION OF ORGANIC ACID | SAKAMOTO, KAZUHIKO |
| <u>10226013</u> | 6649028 | 150 | 08/22/2002 | COLUMN TREATING PROCESS AND APPARATUS THEREFOR | SAKAMOTO, KAZUHIKO |
| <u>10246361</u> | 6899452 | 150 | 09/18/2002 | APPARATUS AND METHOD FOR PREPARATION AND SUPPLY OF POLYMERIZATION INHIBITOR | SAKAMOTO, KAZUHIKO |
| <u>10254863</u> | 6888026 | 150 | 09/26/2002 | METHOD FOR PRODUCING (METH)ACRYLIC ACID | SAKAMOTO, KAZUHIKO |
| <u>10356428</u> | 6848501 | 150 | 01/31/2003 | METHOD FOR PREVENTING PLATE TYPE HEAT EXCHANGER FROM BLOCKAGE | SAKAMOTO, KAZUHIKO |
| <u>10385359</u> | 6870066 | 150 | 03/10/2003 | METHOD FOR DECOMPOSITION OF MICHAEL TYPE ADDUCT | SAKAMOTO, KAZUHIKO |
| <u>10472039</u> | Not Issued | 71 | 09/16/2003 | Acrylic acid composition and its production process, and process for producing water-absorbent resin using this acrylic acid composition, and water-absorbent resin | SAKAMOTO, KAZUHIKO |

| | | | | | |
|-----------------|------------|-----|------------|---|--------------------|
| <u>10651031</u> | Not Issued | 93 | 08/29/2003 | METHOD FOR PREVENTING POLYMERIZATION IN AN ACRYLIC ACID MANUFACTURING PROCESS | SAKAMOTO, KAZUHIKO |
| <u>10746278</u> | 6911064 | 150 | 12/29/2003 | METHOD AND APPARATUS FOR THE PREPARATION OF CLEAN GASES | SAKAMOTO, KAZUHIKO |
| <u>10840252</u> | Not Issued | 30 | 05/07/2004 | Method for distilling (meth) acrylic acid and/or the ester thereof | SAKAMOTO, KAZUHIKO |
| <u>11079252</u> | Not Issued | 90 | 03/15/2005 | METHOD AND APPARATUS FOR THE PREPARATION OF CLEAN GASES | SAKAMOTO, KAZUHIKO |
| <u>11131330</u> | Not Issued | 20 | 05/18/2005 | Flexible flat cable and method of manufacturing the same | SAKAMOTO, KAZUHIKO |
| <u>11221213</u> | Not Issued | 20 | 09/07/2005 | Method for starting up reactor and reactor system | SAKAMOTO, KAZUHIKO |

Inventor Search Completed: No Records to Display.

| | | |
|---------------------------------|---------------------------------------|---------------------------------------|
| Search Another: Inventor | Last Name | First Name |
| | <input type="text" value="SAKAMOTO"/> | <input type="text" value="KAZUHIKO"/> |
| | <input type="button" value="Search"/> | |

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | Home page

Day : Saturday
 Date: 10/15/2005

Time: 15:05:40

PALM INTRANET**Inventor Name Search Result**

Your Search was:

Last Name = NAKAHARA

First Name = SEI

| Application# | Patent# | Status | Date Filed | Title | Inventor Name |
|---------------------------------|--------------------------------|--------|------------|--|---------------|
| <u>08759219</u> | <u>5785821</u> | 150 | 12/05/1996 | PROCESS FOR THE PRODUCTION OF ACRYLIC ACID | NAKAHARA, SEI |
| <u>09031068</u> | <u>6084127</u> | 150 | 02/26/1998 | METHOD FOR RECOVERING ACRYLIC ACID | NAKAHARA, SEI |
| <u>09258503</u> | <u>6444744</u> | 150 | 02/27/1999 | HYDROPHILIC RESIN, ABSORBENT ARTICLE, AND ACRYLIC ACID FOR POLYMERIZATION | NAKAHARA, SEI |
| <u>09361183</u> | <u>6664418</u> | 150 | 07/27/1999 | METHOD FOR INHIBITING POLYMERIZATION OF A VINYL COMPOUND | NAKAHARA, SEI |
| <u>09516680</u> | <u>6695928</u> | 150 | 03/01/2000 | METHOD FOR PRODUCTION OF (METH) ACRYLIC ACID AND/OR (METH)ACRYLIC ESTERS | NAKAHARA, SEI |
| <u>09521434</u> | <u>6348135</u> | 150 | 03/08/2000 | Process for the purification of (meth) acrylic acid and/or its ester | NAKAHARA, SEI |
| <u>09532225</u> | <u>6540881</u> | 150 | 03/22/2000 | METHOD FOR REFINING (METH)ACRYLIC ACID | NAKAHARA, SEI |
| <u>09543743</u> | <u>6414183</u> | 150 | 04/05/2000 | METHOD FOR HANDLING WASTE OILS FROM (METH) ACRYLIC ACID AND (METH) ACRYLATE ESTER PRODUCTION | NAKAHARA, SEI |
| <u>09640630</u> | <u>6657079</u> | 150 | 08/17/2000 | METHOD FOR MIXING GASES AND APPARATUS THEREFOR | NAKAHARA, SEI |
| <u>09644354</u> | Not Issued | 161 | 08/23/2000 | Method for preventing plate type heat exchanger from blockage | NAKAHARA, SEI |
| <u>09667283</u> | <u>6372944</u> | 150 | 09/22/2000 | LIQUID WITHDRAWING TRAY FOR PURIFICATION | NAKAHARA, SEI |

| | | | | | |
|-----------------|------------|-----|------------|--|---------------|
| | | | | COLUMN, PURIFICATION COLUMN, AND METHOD FOR PURIFICATION | |
| <u>09684396</u> | 6649787 | 150 | 10/10/2000 | METHOD FOR PREPARING (METH) ACRYLIC ACID ESTER | NAKAHARA, SEI |
| <u>09688169</u> | 6891061 | 150 | 10/16/2000 | PACKED COLUMN AND POLYMERIZABLE COMPOUND TREATING METHOD USING THE SAME | NAKAHARA, SEI |
| <u>09696460</u> | Not Issued | 161 | 10/25/2000 | Column treating process and apparatus therefor | NAKAHARA, SEI |
| <u>09724468</u> | 6566551 | 150 | 11/29/2000 | METHOD FOR PREVENTING EFFLUENT GAS PIPE FROM BLOCKING | NAKAHARA, SEI |
| <u>09729760</u> | 6300513 | 150 | 12/05/2000 | Method of stabilizing N-oxy compounds in vinyl compounds | NAKAHARA, SEI |
| <u>09732563</u> | 6469202 | 150 | 12/08/2000 | METHOD FOR DISPOSAL OF SOLID CATALYST | NAKAHARA, SEI |
| <u>09735091</u> | 6441228 | 150 | 12/12/2000 | APPARATUS AND PROCESS FOR PRODUCING (METH) ACRYLIC ACID | NAKAHARA, SEI |
| <u>09745896</u> | Not Issued | 71 | 12/21/2000 | Method for purification of acrylic acid | NAKAHARA, SEI |
| <u>09746916</u> | 6736200 | 150 | 12/23/2000 | HEAT-EXCHANGING METHOD FOR EASILY POLYMERIZABLE COMPOUND | NAKAHARA, SEI |
| <u>09753810</u> | 6482981 | 150 | 01/03/2001 | METHOD FOR PRODUCING ACRYLIC ACID | NAKAHARA, SEI |
| <u>09772458</u> | 6642414 | 150 | 01/30/2001 | METHOD FOR PRODUCTION OF (METH) ACRYLIC ACID | NAKAHARA, SEI |
| <u>09779205</u> | 6452040 | 150 | 02/08/2001 | PRODUCTION PROCESS FOR HYDROXYALKYL (METH) ACRYLATE | NAKAHARA, SEI |
| <u>09788598</u> | 6588450 | 150 | 02/21/2001 | STORAGE TANK FOR VISCOUS OIL CONTAINING EASILY POLYMERIZABLE COMPOUNDS | NAKAHARA, SEI |
| <u>09828093</u> | Not Issued | 41 | 04/06/2001 | Method for production of easily polymerizable substance and purification apparatus | NAKAHARA, SEI |
| <u>09871213</u> | 6676808 | 150 | 05/31/2001 | METHOD FOR STARTING UP DISTILLING COLUMN | NAKAHARA, SEI |
| <u>09875541</u> | 6599397 | 150 | 06/06/2001 | METHOD FOR PREVENTING | NAKAHARA, SEI |

| | | | | | |
|-----------------|---------------|-----|------------|---|---------------|
| | | | | POLYMERIZATION OF (METH) ACRYLIC ACID AND ESTERS THEREOF AND METHOD FOR THE PRODUCTION THEREOF | |
| <u>09880395</u> | 6495045 | 150 | 06/13/2001 | SOLID SUBSTANCE REMOVING DEVICE | NAKAHARA, SEI |
| <u>09901267</u> | 6613196 | 150 | 07/09/2001 | METHOD FOR STOPPING PURIFYING COLUMN | NAKAHARA, SEI |
| <u>09919024</u> | Not Issued | 61 | 07/31/2001 | Method for starting up reactor | NAKAHARA, SEI |
| <u>09928574</u> | 6660881 | 150 | 08/12/2001 | PROCESS FOR PRODUCING (METH)ACRYLIC ESTER | NAKAHARA, SEI |
| <u>10058459</u> | Not Issued | 161 | 01/28/2002 | Liquid withdrawing tray for purification column, purification column, and method for purification | NAKAHARA, SEI |
| <u>10062239</u> | 6651731 | 150 | 02/01/2002 | METHOD FOR COOLING HEATING GRADE HEAT EXCHANGER IN UNSTEADY STATE | NAKAHARA, SEI |
| <u>10086931</u> | 6787001 | 150 | 03/01/2002 | METHOD FOR DISTILLING (METH) ACRYLIC ACID SOLUTION | NAKAHARA, SEI |
| <u>10163032</u> | Not Issued | 41 | 06/05/2002 | Reactor filled with solid particle and gas-phase catalytic oxidation with the reactor | NAKAHARA, SEI |
| <u>10186569</u> | Not Issued | 95 | 07/01/2002 | APPARATUS AND PROCESS FOR PRODUCING (METH) ACRYLIC ACID | NAKAHARA, SEI |
| <u>10226013</u> | 6649028 | 150 | 08/22/2002 | COLUMN TREATING PROCESS AND APPARATUS THEREFOR | NAKAHARA, SEI |
| <u>10254379</u> | Not Issued | 41 | 09/25/2002 | Shell-and-tube type heat exchanger and method for production of (meth) acrylic acid by use of the exchange | NAKAHARA, SEI |
| <u>10352851</u> | Not Issued | 30 | 01/29/2003 | Process for treating wastes from acrylic acid and polyacrylic acid production processes | NAKAHARA, SEI |
| <u>10356428</u> | 6848501 | 150 | 01/31/2003 | METHOD FOR PREVENTING PLATE TYPE HEAT EXCHANGER FROM BLOCKAGE | NAKAHARA, SEI |
| <u>10375140</u> | Not | 41 | 02/28/2003 | Method for producing polyacrylic | NAKAHARA, SEI |

| | | | | | |
|---------------------------------|------------|-----|------------|---|-------------------|
| | Issued | | | acid | |
| <u>10472039</u> | Not Issued | 71 | 09/16/2003 | Acrylic acid composition and its production process, and process for producing water-absorbent resin using this acrylic acid composition, and water-absorbent resin | NAKAHARA, SEI |
| <u>10840252</u> | Not Issued | 30 | 05/07/2004 | Method for distilling (meth) acrylic acid and/or the ester thereof | NAKAHARA, SEI |
| <u>06566303</u> | 4647697 | 150 | 12/28/1983 | PROCESS FOR PRODUCING AZINE COMPOUNDS | NAKAHARA, SEIICHI |
| <u>08834917</u> | Not Issued | 161 | 04/07/1997 | METHOD OF PREPARING REFINED SAKE AND AN APPARATUS THEREFOR | NAKAHARA, SEIICHI |
| <u>09743079</u> | 6684651 | 150 | 01/02/2001 | FLOW PATH SELECTOR VALVE AND METHOD OF SELECTING AND DRIVING THE VALVE, COMPRESSOR WITH FLOW PATH SELECTOR VALVE, AND REFRIGERATING CYCLE CONTROL DEVICE | NAKAHARA, SEIICHI |
| <u>09787134</u> | 6611785 | 150 | 03/13/2001 | FLOWMETER, FLOW DETECTING SWITCH, CONTROL METHOD OF FLOWMETER, CONTROL METHOD OF FLOW DETECTING SWITCH, AND RECORDING MEDIUM HAVING RECORDED A CONTROL PROGRAM | NAKAHARA, SEIICHI |
| <u>09884084</u> | 6890436 | 150 | 06/20/2001 | POROUS HOLLOW FIBER MEMBRANES AND METHOD OF MAKING THE SAME | NAKAHARA, SEIICHI |
| <u>10600349</u> | Not Issued | 61 | 06/23/2003 | Apparatus and method for treating wastewater containing nitrogen-containing dyes | NAKAHARA, SEIICHI |
| <u>10635042</u> | Not Issued | 20 | 08/05/2003 | Channel selector value and method of driving the same, compressor with the channel selector valve, and device for controlling refrigerating cycle | NAKAHARA, SEIICHI |

[Search and Display More Records.](#)

Search Another: Inventor **Last Name**

First Name

Day : Saturday
Date: 10/15/2005

Time: 15:05:46



PALM INTRANET

Inventor Name Search Result

Your Search was:

Last Name = NAKAHARA

First Name = SEI

| Application# | Patent# | Status | Date Filed | Title | Inventor Name |
|--------------|------------|--------|------------|---|-----------------|
| 10471352 | Not Issued | 30 | 09/11/2003 | Commodity developing method, commodity developing system, commodity development program, and record medium on which commodity development program is recorded | NAKAHARA, SEIYA |

Inventor Search Completed: No Records to Display.

Search Another: Inventor

| | |
|---------------------------------------|----------------------------------|
| Last Name | First Name |
| <input type="text" value="NAKAHARA"/> | <input type="text" value="SEI"/> |
| <input type="button" value="Search"/> | |

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | Home page

Day : Saturday
 Date: 10/15/2005

Time: 15:05:57

PALM INTRANET**Inventor Name Search Result**

Your Search was:

Last Name = UEOKA

First Name = MASATOSHI

| Application# | Patent# | Status | Date Filed | Title | Inventor Name |
|---------------------------------|--------------------------------|--------|------------|--|---------------------|
| <u>07026895</u> | <u>4725291</u> | 150 | 03/17/1987 | METHOD OF COLLECTING PYROMELLITIC ANHYDRIDE | UEOKA, MASATOSHI |
| <u>07181369</u> | <u>4956493</u> | 150 | 04/14/1988 | PROCESS FOR PRODUCING METHACRYLIC ESTER | UEOKA, MASATOSHI |
| <u>07359228</u> | Not Issued | 166 | 05/31/1989 | PROCESS FOR RECOVERING METHACROLEIN | UEOKA, MASATOSHI |
| <u>07770142</u> | <u>5248819</u> | 150 | 10/03/1991 | PROCESS FOR RECOVERING METHACROLEIN | UEOKA, MASATOSHI |
| <u>07788326</u> | <u>5371280</u> | 150 | 11/05/1991 | POLYMERIZATION INHIBITOR AND INHIBITING METHOD FOR VINYL COMPOUND | UEOKA, MASATOSHI |
| <u>08000222</u> | <u>5315037</u> | 150 | 01/04/1993 | PROCESS FOR PURIFICATION OF ACRYLIC ACID | UEOKA, MASATOSHI |
| <u>08099318</u> | <u>5322960</u> | 150 | 07/30/1993 | METHOD FOR INHIBITING POLYMERIZATION OF (METH) ACRYLIC ACID AND ESTERS THEREOF | UEOKA, MASATOSHI |
| <u>08444869</u> | <u>5504243</u> | 150 | 05/19/1995 | METHOD FOR INHIBITING POLYMERIZATION OF (METH) ACRYLIC ACID AND ESTERS THEREOF | UEOKA, MASATOSHI |
| <u>08759219</u> | <u>5785821</u> | 150 | 12/05/1996 | PROCESS FOR THE PRODUCTION OF ACRYLIC ACID | UEOKA, MASATOSHI |
| <u>09031068</u> | <u>6084127</u> | 150 | 02/26/1998 | METHOD FOR RECOVERING ACRYLIC ACID | UEOKA, MASATOSHI |
| <u>09104358</u> | <u>6252110</u> | 150 | 06/25/1998 | METHODS FOR RECOVERING ACRYLIC ACID | UEOKA, MASATOSHI |
| <u>09361183</u> | <u>6664418</u> | 150 | 07/27/1999 | METHOD FOR INHIBITING | UEOKA, |

| | | | | | |
|----------|------------|-----|------------|--|---------------------|
| | | | | POLYMERIZATION OF A VINYL COMPOUND | MASATOSHI |
| 09503087 | 6384267 | 150 | 02/14/2000 | Process for producing hydroxyalkyl (METH) acrylates | UEOKA, MASATOSHI |
| 09516680 | 6695928 | 150 | 03/01/2000 | METHOD FOR PRODUCTION OF (METH) ACRYLIC ACID AND/OR (METH)ACRYLIC ESTERS | UEOKA, MASATOSHI |
| 09521434 | 6348135 | 150 | 03/08/2000 | Process for the purification of (meth) acrylic acid and/or its ester | UEOKA, MASATOSHI |
| 09532225 | 6540881 | 150 | 03/22/2000 | METHOD FOR REFINING (METH)ACRYLIC ACID | UEOKA, MASATOSHI |
| 09543743 | 6414183 | 150 | 04/05/2000 | METHOD FOR HANDLING WASTE OILS FROM (METH) ACRYLIC ACID AND (METH) ACRYLATE ESTER PRODUCTION | UEOKA, MASATOSHI |
| 09620546 | 6414182 | 150 | 07/22/2000 | PRODUCTION PROCESS FOR HYDROXYALKYL ESTER | UEOKA, MASATOSHI |
| 09664953 | 6458988 | 150 | 09/16/2000 | PRODUCTION PROCESS FOR HYDROXYALKYL (METH) ACRYLATE | UEOKA, MASATOSHI |
| 09664967 | 6380424 | 150 | 09/16/2000 | PURIFICATION PROCESS FOR HYDROXYALKYL (METH)ACRYLATE | UEOKA, MASATOSHI |
| 09684396 | 6649787 | 150 | 10/10/2000 | METHOD FOR PREPARING (METH) ACRYLIC ACID ESTER | UEOKA, MASATOSHI |
| 09696460 | Not Issued | 161 | 10/25/2000 | Column treating process and apparatus therefor | UEOKA, MASATOSHI |
| 09728179 | 6706208 | 150 | 12/01/2000 | STABILIZED HYDROXYALKYL (METH) ACRYLATE | UEOKA, MASATOSHI |
| 09729760 | 6300513 | 150 | 12/05/2000 | Method of stabilizing N-oxyl compounds in vinyl compounds | UEOKA, MASATOSHI |
| 09732563 | 6469202 | 150 | 12/08/2000 | METHOD FOR DISPOSAL OF SOLID CATALYST | UEOKA, MASATOSHI |
| 09735091 | 6441228 | 150 | 12/12/2000 | APPARATUS AND PROCESS FOR PRODUCING (METH) ACRYLIC ACID | UEOKA, MASATOSHI |
| 09745896 | Not Issued | 71 | 12/21/2000 | Method for purification of acrylic acid | UEOKA, MASATOSHI |
| 09753810 | 6482981 | 150 | 01/03/2001 | METHOD FOR PRODUCING ACRYLIC ACID | UEOKA, MASATOSHI |

| | | | | | |
|---------------------------------|--------------------------------|-----|------------|---|---------------------|
| <u>09779205</u> | <u>6452040</u> | 150 | 02/08/2001 | PRODUCTION PROCESS FOR HYDROXYALKYL (METH) ACRYLATE | UEOKA, MASATOSHI |
| <u>09928574</u> | <u>6660881</u> | 150 | 08/12/2001 | PROCESS FOR PRODUCING (METH)ACRYLIC ESTER | UEOKA, MASATOSHI |
| <u>10086931</u> | <u>6787001</u> | 150 | 03/01/2002 | METHOD FOR DISTILLING (METH) ACRYLIC ACID SOLUTION | UEOKA, MASATOSHI |
| <u>10186569</u> | Not Issued | 95 | 07/01/2002 | APPARATUS AND PROCESS FOR PRODUCING (METH) ACRYLIC ACID | UEOKA, MASATOSHI |
| <u>10226013</u> | <u>6649028</u> | 150 | 08/22/2002 | COLUMN TREATING PROCESS AND APPARATUS THEREFOR | UEOKA, MASATOSHI |

Inventor Search Completed: No Records to Display.

| | | |
|---------------------------------|---------------------------------------|--|
| Search Another: Inventor | Last Name | First Name |
| | <input type="text" value="UEOKA"/> | <input type="text" value="MASATOSHI"/> |
| | <input type="button" value="Search"/> | |

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | Home page

Day : Saturday
 Date: 10/15/2005

Time: 15:06:08

PALM INTRANET**Inventor Name Search Result**

Your Search was:

Last Name = MITSUMOTO

First Name = TETSUJI

| Application# | Patent# | Status | Date Filed | Title | Inventor Name |
|---------------------------------|------------|--------|------------|--|-----------------------|
| <u>09640630</u> | 6657079 | 150 | 08/17/2000 | METHOD FOR MIXING GASES AND APPARATUS THEREFOR | MITSUMOTO, TETSUJI |
| <u>09644354</u> | Not Issued | 161 | 08/23/2000 | Method for preventing plate type heat exchanger from blockage | MITSUMOTO, TETSUJI |
| <u>09745896</u> | Not Issued | 71 | 12/21/2000 | Method for purification of acrylic acid | MITSUMOTO, TETSUJI |
| <u>09772458</u> | 6642414 | 150 | 01/30/2001 | METHOD FOR PRODUCTION OF (METH) ACRYLIC ACID | MITSUMOTO, TETSUJI |
| <u>09792469</u> | 6382313 | 150 | 02/23/2001 | HEAT EXCHANGER FOR EASILY POLYMERIZING SUBSTANCE-CONTAINING GAS PROVIDED WITH GAS DISTRIBUTING PLATE | MITSUMOTO, TETSUJI |
| <u>09828093</u> | Not Issued | 41 | 04/06/2001 | Method for production of easily polymerizable substance and purification apparatus | MITSUMOTO, TETSUJI |
| <u>10224677</u> | 6831195 | 150 | 08/21/2002 | METHOD FOR PRODUCTION OF ORGANIC ACID | MITSUMOTO, TETSUJI |
| <u>10254379</u> | Not Issued | 41 | 09/25/2002 | Shell-and-tube type heat exchanger and method for production of (meth) acrylic acid by use of the exchange | MITSUMOTO, TETSUJI |
| <u>10356428</u> | 6848501 | 150 | 01/31/2003 | METHOD FOR PREVENTING PLATE TYPE HEAT EXCHANGER FROM BLOCKAGE | MITSUMOTO, TETSUJI |

Inventor Search Completed: No Records to Display.

Search Another: Inventor

Last Name

MITSUMOTO

First Name

TETSUJI

Search

Day : Saturday
 Date: 10/15/2005

Time: 15:06:16


PALM INTRANET
Inventor Name Search Result

Your Search was:

Last Name = NISHIMURA

First Name = TAKESHI

| Application# | Patent# | Status | Date Filed | Title | Inventor Name |
|---------------------------------|--------------------------------|--------|------------|---|-----------------------|
| <u>06580459</u> | <u>4588989</u> | 150 | 02/15/1984 | SUPERVISORY DEVICE FOR WRONG OPERATION OF VARYING QUANTITY MEASURING APPARATUS | NISHIMURA, TAKESHI |
| <u>06839345</u> | Not Issued | 161 | 03/13/1986 | PARTS INSPECTION EQUIPMENT | NISHIMURA, TAKESHI |
| <u>06892507</u> | <u>D301847</u> | 150 | 08/01/1986 | AUTOMOBILE | NISHIMURA, TAKESHI |
| <u>07405540</u> | <u>5036936</u> | 150 | 09/11/1989 | CRUISE CONTROL DEVICE FOR MOTOR VEHICLES | NISHIMURA, TAKESHI |
| <u>07701218</u> | <u>5099941</u> | 150 | 05/16/1991 | CRUISE CONTROL DEVICE FOR MOTOR VEHICLES | NISHIMURA, TAKESHI |
| <u>07701510</u> | <u>5129475</u> | 150 | 05/16/1991 | CRUISE CONTROL DEVICE FOR MOTOR VEHICLES | NISHIMURA, TAKESHI |
| <u>08344637</u> | Not Issued | 166 | 11/18/1994 | SMALL-SIZED ZOOM LENS | NISHIMURA, TAKESHI |
| <u>08357164</u> | <u>5525686</u> | 150 | 12/13/1994 | POLYVALENT METAL SALT OF SALICYLIC ACID RESIN AND PROCESS FOR PREPARING IT | NISHIMURA, TAKESHI |
| <u>08478688</u> | Not Issued | 166 | 06/07/1995 | HEAD-UP DISPLAY DEVICE WITH CURVED OPTICAL SURFACE HAVING TOTAL REFLECTION | NISHIMURA, TAKESHI |
| <u>08521436</u> | <u>6032176</u> | 150 | 08/30/1995 | DATA-INDEPENDENT TYPE COMPUTER SYSTEM: PROCESSING MACHINE, DATA MACHINE AND MAN-MACHINE INTERFACE THEREIN | NISHIMURA, TAKESHI |
| <u>08544986</u> | <u>5647896</u> | 250 | 10/30/1995 | COLOR-DEVELOPING AGENTS AND COLOR-DEVELOPING SHEETS | NISHIMURA, TAKESHI |

| | | | | | |
|-----------------|----------------|-----|------------|--|-----------------------|
| <u>08559428</u> | <u>5842043</u> | 150 | 11/15/1995 | SYSTEM FOR DATA ACCESS MANAGEMENT OF A NETWORK OF DEDICATED PROCESSING, DATA, AND INTERFACE MACHINES COMBINATION OF WHICH PERFORMING FUNCTIONS OF A GENERAL-PURPOSE COMPUTER | NISHIMURA, TAKESHI |
| <u>08559827</u> | <u>5764909</u> | 150 | 11/17/1995 | SELF- CONFIGURING DEVICE CONNECTION FOR A DATA INDEPENDENT TYPE COMPUTER SYSTEM IN A NETWORK | NISHIMURA, TAKESHI |
| <u>08574135</u> | <u>5669784</u> | 150 | 12/18/1995 | SURFACE MOUNT TYPE IC SOCKET | NISHIMURA, TAKESHI |
| <u>08634841</u> | <u>5757556</u> | 150 | 04/19/1996 | ZOOM LENS | NISHIMURA, TAKESHI |
| <u>08654862</u> | <u>5913912</u> | 150 | 05/28/1996 | FLIGHT STRIPS MANAGEMENT METHOD AND SYSTEM | NISHIMURA, TAKESHI |
| <u>08714602</u> | <u>6003009</u> | 150 | 09/16/1996 | TRANSFER INFORMATION MANAGEMENT DEVICE AND TRANSFER INFORMATION MANAGEMENT METHOD | NISHIMURA, TAKESHI |
| <u>08831138</u> | <u>5992754</u> | 150 | 04/01/1997 | IC PROTECTIVE DEVICE IN MEMORY CARD OPERATING ELECTRONIC APPARATUS | NISHIMURA, TAKESHI |
| <u>08921522</u> | <u>5798873</u> | 150 | 09/02/1997 | SMALL-SIZED ZOOM LENS | NISHIMURA, TAKESHI |
| <u>08959285</u> | Not Issued | 71 | 10/24/1997 | HEAD-UP DISPLAY DEVICE WITH ROTATIONALLY ASYMMETRIC CURVED SURFACE | NISHIMURA, TAKESHI |
| <u>08978494</u> | <u>6045376</u> | 150 | 11/25/1997 | EJECTION MECHANISM IN IC CARD CONNECTOR | NISHIMURA, TAKESHI |
| <u>09076736</u> | <u>6045049</u> | 150 | 05/13/1998 | APPARATUS FOR DETECTING A TAIL END OF A MEMORY CARD IN A MEMORY CARD READER | NISHIMURA, TAKESHI |
| <u>09093937</u> | <u>6615230</u> | 150 | 06/09/1998 | DATA ACCESS RIGHT MANAGEMENT APPARATUS IN A DATA-INDEPENDENT COMPUTER SYSTEM | NISHIMURA, TAKESHI |
| <u>09094559</u> | <u>5973168</u> | 150 | 06/15/1998 | PREPARATION PROCESS OF | NISHIMURA, |

| | | | | | |
|-----------------|------------|-----|------------|---|-----------------------|
| | | | | PHTHALIDE COMPOUND | TAKESHI |
| <u>09118996</u> | 6052541 | 150 | 07/20/1998 | VIEWFINDER OPTICAL SYSTEM AND PHOTOGRAPHING APPARATUS HAVING THE SAME | NISHIMURA, TAKESHI |
| <u>09160769</u> | 6215600 | 150 | 09/24/1998 | ZOOM LENS | NISHIMURA, TAKESHI |
| <u>09247867</u> | 6022229 | 150 | 02/11/1999 | EJECTION MECHANISM IN IC CARD CONNECTOR | NISHIMURA, TAKESHI |
| <u>09333998</u> | Not Issued | 71 | 06/16/1999 | HEAD-UP DISPLAY DEVICE WITH CURVED OPTICAL SURFACE HAVING TOTAL REFLECTION | NISHIMURA, TAKESHI |
| <u>09473924</u> | 6388530 | 150 | 12/28/1999 | MICROWAVE AMPLIFIER IMPLEMENTED BY HETEROJUNCTION FIELD EFFECT TRANSISTORS | NISHIMURA, TAKESHI |
| <u>09489938</u> | 6384986 | 150 | 01/24/2000 | ZOOM LENS AND OPTICAL APPARATUS HAVING THE SAME | NISHIMURA, TAKESHI |
| <u>09506713</u> | 6755943 | 150 | 02/18/2000 | PERFORATED TRAY WITHOUT DOWNCOMER, PERFORATED TRAY TOWER WITHOUT DOWNCOMER | NISHIMURA, TAKESHI |
| <u>09506715</u> | 6666956 | 150 | 02/18/2000 | METHOD FOR DISTILLING POLYMERIZABLE COMPOUND OR LIQUID CONTAINING POLYMERIZABLE COMPOUND | NISHIMURA, TAKESHI |
| <u>09511243</u> | Not Issued | 71 | 02/23/2000 | Head-up display device with curved optical surface having total reflection | NISHIMURA, TAKESHI |
| <u>09516680</u> | 6695928 | 150 | 03/01/2000 | METHOD FOR PRODUCTION OF (METH) ACRYLIC ACID AND/OR (METH)ACRYLIC ESTERS | NISHIMURA, TAKESHI |
| <u>09519383</u> | 6641700 | 150 | 03/03/2000 | PURIFYING APPARATUS POSSESSING VAPOR DISPERSING DEVICE | NISHIMURA, TAKESHI |
| <u>09520744</u> | 6620969 | 150 | 03/08/2000 | SHELL-AND-TUBE HEAT EXCHANGER AND METHOD FOR INHIBITING POLYMERIZATION IN THE SHELL-AND-TUBE HEAT | NISHIMURA, TAKESHI |

| | | | | EXCHANGER | |
|-----------------|----------------|-----|------------|---|-----------------------|
| <u>09526729</u> | <u>6398567</u> | 150 | 03/16/2000 | LOCK AND LOCK RELEASING MECHANISM IN IC CARD CONNECTING MECHANISM | NISHIMURA, TAKESHI |
| <u>09537621</u> | <u>6635148</u> | 150 | 03/29/2000 | METHOD FOR REFINING EASILY POLYMERIZABLE MATTER-CONTAINING SUBSTANCE AND APPARATUS THEREFOR | NISHIMURA, TAKESHI |
| <u>09549531</u> | <u>6409886</u> | 150 | 04/14/2000 | PROCESS FOR INHIBITING THE POLYMERIZATION OF EASILY-POLYMERIZABLE COMPOUNDS | NISHIMURA, TAKESHI |
| <u>09556754</u> | <u>6627047</u> | 150 | 04/21/2000 | METHOD FOR PREVENTING POLYMERIZATION IN THIN- FILM TYPE EVAPORATING DEVICE | NISHIMURA, TAKESHI |
| <u>09585617</u> | <u>6436245</u> | 150 | 06/02/2000 | APPARATUS FOR THE PURIFICATION OF ORGANIC COMPOUNDS CONTAINING READILY-BLOCKING SUBSTANCES AND PROCESS THEREOF | NISHIMURA, TAKESHI |
| <u>09587387</u> | <u>6878239</u> | 150 | 06/05/2000 | PROCESS FOR INHIBITING A VACUUM SECTION OF AN EASILY POLYMERIZABLE COMPOUND PURIFICATION SYSTEM | NISHIMURA, TAKESHI |
| <u>09588834</u> | <u>6525216</u> | 150 | 06/07/2000 | METHOD OF MANUFACTURING (METH) ACRYLIC ACID | NISHIMURA, TAKESHI |
| <u>09605219</u> | <u>6667419</u> | 150 | 06/28/2000 | METHOD FOR ABSORPTION OF ACRYLIC COMPOUND AND APPARATUS THEREFOR | NISHIMURA, TAKESHI |
| <u>09638479</u> | <u>6556357</u> | 150 | 08/14/2000 | ZOOM LENS | NISHIMURA, TAKESHI |
| <u>09640630</u> | <u>6657079</u> | 150 | 08/17/2000 | METHOD FOR MIXING GASES AND APPARATUS THEREFOR | NISHIMURA, TAKESHI |
| <u>09642578</u> | <u>6585862</u> | 150 | 08/19/2000 | APPARATUS AND METHOD FOR HANDLING EASILY POLYMERIZABLE COMPOUND | NISHIMURA, TAKESHI |

| | | | | | |
|-----------------|------------|-----|------------|---|--------------------|
| <u>09644354</u> | Not Issued | 161 | 08/23/2000 | Method for preventing plate type heat exchanger from blockage | NISHIMURA, TAKESHI |
| <u>09648950</u> | 6613940 | 150 | 08/25/2000 | METHOD FOR CATALYTIC GAS PHASE OXIDATION | NISHIMURA, TAKESHI |
| <u>09667283</u> | 6372944 | 150 | 09/22/2000 | LIQUID WITHDRAWING TRAY FOR PURIFICATION COLUMN, PURIFICATION COLUMN, AND METHOD FOR PURIFICATION | NISHIMURA, TAKESHI |

[Search and Display More Records.](#)

Search Another: Inventor

| | |
|--|--------------------------------------|
| Last Name | First Name |
| <input type="text" value="NISHIMURA"/> | <input type="text" value="TAKESHI"/> |
| <input type="button" value="Search"/> | |

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | Home page

Day : Saturday
 Date: 10/15/2005

Time: 15:06:23

PALM INTRANET**Inventor Name Search Result**

Your Search was:

Last Name = NISHIMURA

First Name = TAKESHI

| Application# | Patent# | Status | Date Filed | Title | Inventor Name |
|---------------------------------|--------------------------------|--------|------------|---|-----------------------|
| <u>09685582</u> | <u>6454541</u> | 150 | 10/11/2000 | METHOD FOR TRANSFERRING EASILY - POLYMERIZABLE SUBSTANCE | NISHIMURA, TAKESHI |
| <u>09688169</u> | <u>6891061</u> | 150 | 10/16/2000 | PACKED COLUMN AND POLYMERIZABLE COMPOUND TREATING METHOD USING THE SAME | NISHIMURA, TAKESHI |
| <u>09702588</u> | <u>6596129</u> | 150 | 10/31/2000 | DISTILLATION PROCESS FOR EASILY POLYMERIZABLE SUBSTANCE-CONTAINING SOLUTION | NISHIMURA, TAKESHI |
| <u>09705351</u> | Not Issued | 41 | 11/03/2000 | Vertical heat exchanger | NISHIMURA, TAKESHI |
| <u>09705679</u> | Not Issued | 93 | 11/03/2000 | REACTOR FOR CATALYTIC GAS PHASE OXIDATION | NISHIMURA, TAKESHI |
| <u>09724468</u> | <u>6566551</u> | 150 | 11/29/2000 | METHOD FOR PREVENTING EFFLUENT GAS PIPE FROM BLOCKING | NISHIMURA, TAKESHI |
| <u>09732563</u> | <u>6469202</u> | 150 | 12/08/2000 | METHOD FOR DISPOSAL OF SOLID CATALYST | NISHIMURA, TAKESHI |
| <u>09733679</u> | <u>6431261</u> | 150 | 12/08/2000 | SHELL AND TUBE TYPE HEAT EXCHANGER | NISHIMURA, TAKESHI |
| <u>09745896</u> | Not Issued | 71 | 12/21/2000 | Method for purification of acrylic acid | NISHIMURA, TAKESHI |
| <u>09768306</u> | Not Issued | 30 | 01/25/2001 | Head-up display device with rotationally asymmetric curved surface | NISHIMURA, TAKESHI |
| <u>09779691</u> | <u>6653572</u> | 150 | 02/07/2001 | MULTILAYER CIRCUIT BOARD | NISHIMURA, TAKESHI |
| <u>09780787</u> | <u>6713648</u> | 150 | 02/09/2001 | METHOD FOR ABSORBING ACRYLIC ACID AND | NISHIMURA, TAKESHI |

| | | | | | |
|-----------------|------------|-----|------------|---|--------------------|
| | | | | METHOD FOR PURIFYING ACRYLIC ACID | |
| <u>09782535</u> | Not Issued | 161 | 02/13/2001 | Therapeutic agent for hyperlipidemia | NISHIMURA, TAKESHI |
| <u>09788597</u> | 6581637 | 150 | 02/21/2001 | TANK AND A METHOD FOR STORING AN EASILY POLYMERIZABLE COMPOUND | NISHIMURA, TAKESHI |
| <u>09792469</u> | 6382313 | 150 | 02/23/2001 | HEAT EXCHANGER FOR EASILY POLYMERIZING SUBSTANCE-CONTAINING GAS PROVIDED WITH GAS DISTRIBUTING PLATE | NISHIMURA, TAKESHI |
| <u>09800705</u> | 6407287 | 150 | 03/07/2001 | METHOD FOR PRODUCTION OF ACRYLIC ACID | NISHIMURA, TAKESHI |
| <u>09817416</u> | 6579829 | 150 | 03/27/2001 | DEVELOPER COMPOSITION AND HEAT SENSITIVE RECORDING MATERIAL | NISHIMURA, TAKESHI |
| <u>09828093</u> | Not Issued | 41 | 04/06/2001 | Method for production of easily polymerizable substance and purification apparatus | NISHIMURA, TAKESHI |
| <u>09840109</u> | 6607405 | 150 | 04/24/2001 | MULTI-CARD CARD CONNECTOR FOR MULTI-TYPE CARDS | NISHIMURA, TAKESHI |
| <u>09842083</u> | 6482029 | 150 | 04/26/2001 | CARD CONNECTOR | NISHIMURA, TAKESHI |
| <u>09845694</u> | 6946573 | 150 | 04/30/2001 | METHOD FOR STARTING UP REACTOR AND REACTOR SYSTEM | NISHIMURA, TAKESHI |
| <u>09852307</u> | 6657791 | 150 | 05/10/2001 | ZOOM LENS AND OPTICAL APPARATUS HAVING THE SAME | NISHIMURA, TAKESHI |
| <u>09853293</u> | 6593847 | 150 | 05/10/2001 | PLANAR ACOUSTIC CONVERTING APPARATUS | NISHIMURA, TAKESHI |
| <u>09870812</u> | Not Issued | 41 | 05/31/2001 | Apparatus for treatment of waste gas | NISHIMURA, TAKESHI |
| <u>09880396</u> | 6476162 | 150 | 06/13/2001 | METHOD FOR PREVENTING EASILY POLYMERIZING SUBSTANCE FROM POLYMERIZATION AND METHOD FOR PRODUCTION OF (METH) ACRYLIC ACID OR ESTER THEREOF | NISHIMURA, TAKESHI |
| <u>09893486</u> | 6638432 | 150 | 06/29/2001 | METHOD OF TREATING WASTE LIQUID | NISHIMURA, TAKESHI |

| | | | | | |
|-----------------|------------|-----|------------|--|-----------------------|
| <u>09906255</u> | 6568415 | 150 | 07/16/2001 | STORING DEVICE FOR EASILY POLYMERIZABLE AND COAGULATING LIQUID SUBSTANCE AND METHOD FOR PRESSURE CONTROL THEREOF | NISHIMURA, TAKESHI |
| <u>10058459</u> | Not Issued | 161 | 01/28/2002 | Liquid withdrawing tray for purification column, purification column, and method for purification | NISHIMURA, TAKESHI |
| <u>10062239</u> | 6651731 | 150 | 02/01/2002 | METHOD FOR COOLING HEATING GRADE HEAT EXCHANGER IN UNSTEADY STATE | NISHIMURA, TAKESHI |
| <u>10160199</u> | 6661584 | 150 | 05/30/2002 | ZOOM LENS AND CAMERA HAVING THE ZOOM LENS | NISHIMURA, TAKESHI |
| <u>10163032</u> | Not Issued | 41 | 06/05/2002 | Reactor filled with solid particle and gas-phase catalytic oxidation with the reactor | NISHIMURA, TAKESHI |
| <u>10211040</u> | 6888025 | 150 | 08/02/2002 | METHOD FOR ABSORBING ACRYLIC ACID AND METHOD FOR PURIFYING ACRYLIC ACID | NISHIMURA, TAKESHI |
| <u>10224677</u> | 6831195 | 150 | 08/21/2002 | METHOD FOR PRODUCTION OF ORGANIC ACID | NISHIMURA, TAKESHI |
| <u>10246361</u> | 6899452 | 150 | 09/18/2002 | APPARATUS AND METHOD FOR PREPARATION AND SUPPLY OF POLYMERIZATION INHIBITOR | NISHIMURA, TAKESHI |
| <u>10254379</u> | Not Issued | 41 | 09/25/2002 | Shell-and-tube type heat exchanger and method for production of (meth) acrylic acid by use of the exchange | NISHIMURA, TAKESHI |
| <u>10254807</u> | Not Issued | 41 | 09/26/2002 | Purification apparatus provided with low heat conductive member | NISHIMURA, TAKESHI |
| <u>10320472</u> | Not Issued | 94 | 12/17/2002 | COVER MEMBER FOR ILLUMINATED PUSHBUTTON SWITCH | NISHIMURA, TAKESHI |
| <u>10326189</u> | 6677482 | 150 | 12/20/2002 | METHOD OF MANUFACTURING (METH) ACRYLIC ACID | NISHIMURA, TAKESHI |
| <u>10345321</u> | Not Issued | 30 | 01/16/2003 | Image forming apparatus and method, and image forming system | NISHIMURA, TAKESHI |

| | | | | | |
|---------------------------------|------------|-----|------------|---|--------------------|
| <u>10345922</u> | Not Issued | 30 | 01/17/2003 | Color image processing apparatus and method | NISHIMURA, TAKESHI |
| <u>10356428</u> | 6848501 | 150 | 01/31/2003 | METHOD FOR PREVENTING PLATE TYPE HEAT EXCHANGER FROM BLOCKAGE | NISHIMURA, TAKESHI |
| <u>10504850</u> | Not Issued | 30 | 02/08/2005 | Planar speaker | NISHIMURA, TAKESHI |
| <u>10512573</u> | Not Issued | 30 | 01/19/2005 | Packaging container | NISHIMURA, TAKESHI |
| <u>10607767</u> | Not Issued | 61 | 06/27/2003 | Method for production of acrylic acid | NISHIMURA, TAKESHI |
| <u>10633170</u> | Not Issued | 41 | 08/01/2003 | Method for production of acrylic acid | NISHIMURA, TAKESHI |
| <u>10641653</u> | Not Issued | 41 | 08/15/2003 | Method for refining easily polymerizable matter-containing substance and apparatus therefor | NISHIMURA, TAKESHI |
| <u>10664237</u> | Not Issued | 30 | 09/17/2003 | Method for disposal of waste from acrylic acid process and acrylic ester process | NISHIMURA, TAKESHI |
| <u>10796254</u> | Not Issued | 41 | 03/09/2004 | Method for managing operation of gas phase reaction apparatus | NISHIMURA, TAKESHI |
| <u>10817853</u> | Not Issued | 30 | 04/06/2004 | Key sheets and method of producing the same | NISHIMURA, TAKESHI |
| <u>10844313</u> | Not Issued | 41 | 05/13/2004 | Process for producing easily polymerizable substance | NISHIMURA, TAKESHI |

[Search and Display More Records.](#)

| | | |
|---------------------------------|--|--------------------------------------|
| Search Another: Inventor | Last Name | First Name |
| | <input type="text" value="NISHIMURA"/> | <input type="text" value="TAKESHI"/> |
| | <input type="button" value="Search"/> | |

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | Home page

Day : Saturday
 Date: 10/15/2005

Time: 15:06:28


PALM INTRANET
Inventor Name Search Result

Your Search was:

Last Name = NISHIMURA

First Name = TAKESHI

| Application# | Patent# | Status | Date Filed | Title | Inventor Name |
|---------------------------------|------------|--------|------------|--|-----------------------|
| <u>10847711</u> | Not Issued | 30 | 05/18/2004 | Electronics connector with heat sink | NISHIMURA, TAKESHI |
| <u>10861444</u> | Not Issued | 95 | 06/07/2004 | KEY SHEET | NISHIMURA, TAKESHI |
| <u>10916121</u> | Not Issued | 41 | 08/11/2004 | Optical element having minute periodic structure | NISHIMURA, TAKESHI |
| <u>10942636</u> | Not Issued | 30 | 09/16/2004 | Zoom lens system and image pickup device having zoom lens system | NISHIMURA, TAKESHI |
| <u>10960763</u> | Not Issued | 30 | 10/08/2004 | Self-lighting type push button input device | NISHIMURA, TAKESHI |
| <u>11087721</u> | Not Issued | 30 | 03/24/2005 | Stepping motor driving system, information recording and reproducing device, and stepping motor driving method | NISHIMURA, TAKESHI |
| <u>11090254</u> | Not Issued | 30 | 03/28/2005 | Cover member for illuminated pushbutton switch | NISHIMURA, TAKESHI |
| <u>11156285</u> | Not Issued | 30 | 06/16/2005 | Connector | NISHIMURA, TAKESHI |
| <u>11166642</u> | Not Issued | 30 | 06/24/2005 | Zoom lens system and image pickup apparatus including the same | NISHIMURA, TAKESHI |
| <u>11181749</u> | Not Issued | 20 | 07/15/2005 | Key sheet and key sheet manufacturing method | NISHIMURA, TAKESHI |
| <u>11221213</u> | Not Issued | 20 | 09/07/2005 | Method for starting up reactor and reactor system | NISHIMURA, TAKESHI |
| <u>29094717</u> | D414560 | 150 | 10/08/1998 | PORTABLE MASSAGE DEVICE | NISHIMURA, TAKESHI |
| <u>60472037</u> | Not Issued | 159 | 05/20/2003 | Push push connector | NISHIMURA, TAKESHI |
| <u>60538970</u> | Not Issued | 159 | 01/23/2004 | PCMCIA connector with heat sink | NISHIMURA, TAKESHI |

| | | | | | |
|-----------------|------------|-----|------------|---|--------------------------|
| <u>60580760</u> | Not Issued | 159 | 06/18/2004 | Connector | NISHIMURA, TAKESHI |
| <u>09087159</u> | 6144051 | 150 | 05/29/1998 | SEMICONDUCTOR DEVICE HAVING A METAL-INSULATOR-METAL CAPACITOR | NISHIMURA, TAKESHI B. |
| <u>09187610</u> | 6436756 | 150 | 11/06/1998 | SEMICONDUCTOR DEVICE AND FABRICATION METHOD THEREOF | NISHIMURA, TAKESHI B. |
| <u>09320654</u> | Not Issued | 161 | 05/27/1999 | CAPACITOR ELEMENT AND FABRICATION METHOD THEREOF | NISHIMURA, TAKESHI B. |

Inventor Search Completed: No Records to Display.

| | | |
|---------------------------------|--|---|
| Search Another: Inventor | Last Name <input type="text" value="NISHIMURA"/> | First Name <input type="text" value="TAKESHI"/> |
| | <input type="button" value="Search"/> | |

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | Home page

Day : Saturday
 Date: 10/15/2005

Time: 15:06:41

PALM INTRANET**Inventor Name Search Result**

Your Search was:

Last Name = TAKAMURA

First Name = MAMORU

| Application# | Patent# | Status | Date Filed | Title | Inventor Name |
|--------------------------|------------|--------|------------|---|------------------|
| 07199200 | Not Issued | 166 | 05/26/1988 | PROCESS FOR PRODUCTION OF ACRYLIC ACID | TAKAMURA, MAMORU |
| 07507008 | Not Issued | 166 | 04/10/1990 | PROCESS FOR PRODUCTION OF ACRYLIC ACID | TAKAMURA, MAMORU |
| 07798867 | 5218146 | 150 | 11/25/1991 | PROCESS FOR PRODUCTION OF ACRYLIC ACID | TAKAMURA, MAMORU |
| 08990522 | 5872288 | 150 | 12/15/1997 | PROCESS FOR PRODUCING (METH) ACRYLIC ACID | TAKAMURA, MAMORU |
| 09253036 | 6294056 | 150 | 02/19/1999 | DISTILLATION METHOD AND DISTILLATION APPARATUS | TAKAMURA, MAMORU |
| 09724468 | 6566551 | 150 | 11/29/2000 | METHOD FOR PREVENTING EFFLUENT GAS PIPE FROM BLOCKING | TAKAMURA, MAMORU |
| 09745896 | Not Issued | 71 | 12/21/2000 | Method for purification of acrylic acid | TAKAMURA, MAMORU |

Inventor Search Completed: No Records to Display.

Search Another: Inventor
Last Name**First Name**

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | Home page

Day : Saturday
 Date: 10/15/2005

Time: 15:06:49

PALM INTRANET**Inventor Name Search Result**

Your Search was:

Last Name = NAKAMA

First Name = HISAO

| Application# | Patent# | Status | Date Filed | Title | Inventor Name |
|--------------------------|------------|--------|------------|---|-----------------|
| 09745896 | Not Issued | 71 | 12/21/2000 | Method for purification of acrylic acid | NAKAMA, HISAO |
| 09028067 | 6010801 | 150 | 02/23/1998 | CYLINDRICAL STORAGE BATTERY | NAKAMARU, HISAO |
| 09050984 | 6013389 | 150 | 03/31/1998 | CYLINDRICAL STORAGE BATTERY | NAKAMARU, HISAO |
| 10662448 | Not Issued | 41 | 09/16/2003 | Prismatic battery | NAKAMARU, HISAO |
| 29189063 | D490773 | 150 | 08/28/2003 | CURRENT COLLECTOR FOR A BATTERY | NAKAMARU, HISAO |
| 29199064 | Not Issued | 30 | 02/09/2004 | Current collector | NAKAMARU, HISAO |

Inventor Search Completed: No Records to Display.

Search Another: Inventor**Last Name****First Name**

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | Home page